



This is an amended version of report# 071999-00.
Reason: THC-Total included in percent.

Customer: FNX Fit
Product identity: 1000mg CBD Drops Pineapple/Peach **Client/Metric ID:** Lot: SN125728
Laboratory ID: 19-005625-0007 **Sample Date:**

Summary

Potency:

Analyte per 1ml	Result	Limits	Units	LOQ	
CBC per 1ml [†]	2.13		mg/1ml	0.0315	CBD-Total per 1ml 38.4 mg/1ml
CBD per 1ml	38.4		mg/1ml	0.0315	
CBDV per 1ml [†]	0.425		mg/1ml	0.0315	CBD-Total per 30ml 1150 mg/30ml
CBG per 1ml [†]	1.58		mg/1ml	0.0315	
Δ9-THC per 1ml	1.58		mg/1ml	0.0315	THC-Total (%) 0.167 %
Analyte per 30ml	Result	Limits	Units	LOQ	
CBC per 30ml [†]	63.9		mg/30ml	0.946	
CBD per 30ml	1150		mg/30ml	0.946	
CBDV per 30ml [†]	12.7		mg/30ml	0.946	
CBG per 30ml [†]	47.4		mg/30ml	0.946	
Δ9-THC per 30ml	47.4		mg/30ml	0.946	

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Terpenes:

Analyte	Percent by weight	Percent of Total	Analyte	Percent by weight	Percent of Total
farnesene [†]	0.103	76.79	β-Caryophyllene [†]	0.0314	23.40

Metals:

Analyte	Result	Limits
Lead	0.0831	

Microbiology:

Less than LOQ for all analytes.

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Customer: FNX Fit

Product identity: 1000mg CBD Drops Pineapple/Peach/Mango
Client/Metric ID: Lot: SN125728
Sample Date:
Laboratory ID: 19-005625-0007
Temp: 18.9 °C
Relinquished by: Received by mail
Serving Size #1: 0.946 g
Serving Size #2: 28.38 g



Sample Results

Potency per 1ml		Batch: 1904586					
Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 1ml†	2.13		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
CBC-A per 1ml†	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
CBC-Total per 1ml†	2.13		mg/1ml	0.0592	05/28/19	J AOAC 2015 V98-6	
CBD per 1ml	38.4		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
CBD-A per 1ml	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
CBD-Total per 1ml	38.4		mg/1ml	0.0592	05/28/19	J AOAC 2015 V98-6	
CBDV per 1ml†	0.425		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
CBDV-A per 1ml†	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
CBDV-Total per 1ml†	0.425		mg/1ml	0.0589	05/28/19	J AOAC 2015 V98-6	
CBG per 1ml†	1.58		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
CBG-A per 1ml†	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
CBG-Total per 1ml†	1.58		mg/1ml	0.0592	05/28/19	J AOAC 2015 V98-6	
CBL per 1ml†	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
CBN per 1ml	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
Δ8-THC per 1ml†	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
Δ9-THC per 1ml	1.58		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
THC-A per 1ml	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
THC-Total per 1ml	1.58		mg/1ml	0.0592	05/28/19	J AOAC 2015 V98-6	
THCV per 1ml†	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
THCV-A per 1ml†	< LOQ		mg/1ml	0.0315	05/28/19	J AOAC 2015 V98-6	
THCV-Total per 1ml†	< LOQ		mg/1ml	0.0589	05/28/19	J AOAC 2015 V98-6	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Potency per 30ml Batch: 1904586

Analyte	Result	Limits	Units	LOQ	Analyze	Method	Notes
CBC per 30ml [†]	63.9		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
CBC-A per 30ml [†]	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
CBC-Total per 30ml [†]	63.9		mg/30ml	1.78	05/28/19	J AOAC 2015 V98-6	
CBD per 30ml	1150		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
CBD-A per 30ml	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
CBD-Total per 30ml	1150		mg/30ml	1.78	05/28/19	J AOAC 2015 V98-6	
CBDV per 30ml [†]	12.7		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
CBDV-A per 30ml [†]	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
CBDV-Total per 30ml [†]	12.7		mg/30ml	1.77	05/28/19	J AOAC 2015 V98-6	
CBG per 30ml [†]	47.4		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
CBG-A per 30ml [†]	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
CBG-Total per 30ml [†]	47.4		mg/30ml	1.78	05/28/19	J AOAC 2015 V98-6	
CBL per 30ml [†]	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
CBN per 30ml	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
Δ8-THC per 30ml [†]	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
Δ9-THC per 30ml	47.4		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
THC-A per 30ml	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
THC-Total per 30ml	47.4		mg/30ml	1.78	05/28/19	J AOAC 2015 V98-6	
THCV per 30ml [†]	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
THCV-A per 30ml [†]	< LOQ		mg/30ml	0.946	05/28/19	J AOAC 2015 V98-6	
THCV-Total per 30ml [†]	< LOQ		mg/30ml	1.77	05/28/19	J AOAC 2015 V98-6	

Microbiology

Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
E.coli	< LOQ		cfu/g	10	1904393	05/20/19	AOAC 991.14 (Petrifilm)	X
Total Coliforms	< LOQ		cfu/g	10	1904393	05/20/19	AOAC 991.14 (Petrifilm)	X

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Solvents					Method SOPC503					Units µg/g		Batch 1904387		Analyze 05/17/19 05:07 PM	
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes				
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass					
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane	< LOQ		200						
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass					
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane	< LOQ		200						
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0						
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass					
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass					
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass					
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass					
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	30.0	pass					
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass					
Isopropylbenzene	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200						
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	200	pass					
Methylpropane	< LOQ		200			n-Butane	< LOQ		200						
n-Heptane	< LOQ	5000	200	pass		n-Hexane	< LOQ		30.0						
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200						
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass					
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass					
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl	< LOQ	2170	600	pass					

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.




Pesticides											
Method AOAC 2007.01 & EN 15662 (mod) Units mg/kg Batch 1904530 Analyze 05/22/19 04:32 PM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin	< LOQ	0.50	0.250	pass		Acephate	< LOQ	0.40	0.250	pass	
Acequinocyl	< LOQ	2.0	1.00	pass		Acetamiprid	< LOQ	0.20	0.100	pass	
Aldicarb	< LOQ	0.40	0.200	pass		Azoxystrobin	< LOQ	0.20	0.100	pass	
Bifenazate	< LOQ	0.20	0.100	pass		Bifenthrin	< LOQ	0.20	0.100	pass	
Boscalid	< LOQ	0.40	0.100	pass		Carbaryl	< LOQ	0.20	0.100	pass	
Carbofuran	< LOQ	0.20	0.100	pass		Chlorantraniliprole	< LOQ	0.20	0.100	pass	
Chlorfenapyr	< LOQ	1.0	0.500	pass		Chlorpyrifos	< LOQ	0.20	0.100	pass	
Clofentezine	< LOQ	0.20	0.100	pass		Cyfluthrin (incl.	< LOQ	1.0	0.500	pass	
Cypermethrin	< LOQ	1.0	0.500	pass		Daminozide	< LOQ	1.0	0.500	pass	
Diazinon	< LOQ	0.20	0.100	pass		Dichlorvos	< LOQ	1.0	0.500	pass	
Dimethoate	< LOQ	0.20	0.100	pass		Ethoprophos	< LOQ	0.20	0.100	pass	
Etofenprox	< LOQ	0.40	0.200	pass		Etoazole	< LOQ	0.20	0.100	pass	
Fenoxycarb	< LOQ	0.20	0.100	pass		Fenpyroximate	< LOQ	0.40	0.200	pass	
Fipronil	< LOQ	0.40	0.200	pass		Fonicamid	< LOQ	1.0	0.400	pass	
Fludioxonil	< LOQ	0.40	0.200	pass		Hexythiazox	< LOQ	1.0	0.400	pass	
Imazalil	< LOQ	0.20	0.100	pass		Imidacloprid	< LOQ	0.40	0.200	pass	
Kresoxim-methyl	< LOQ	0.40	0.200	pass		Malathion	< LOQ	0.20	0.100	pass	
Metalaxyl	< LOQ	0.20	0.100	pass		Methiocarb	< LOQ	0.20	0.100	pass	
Methomyl	< LOQ	0.40	0.200	pass		MGK-264	< LOQ	0.20	0.100	pass	
Myclobutanil	< LOQ	0.20	0.100	pass		Naled	< LOQ	0.50	0.250	pass	
Oxamyl	< LOQ	1.0	0.500	pass		Paclobutrazole	< LOQ	0.40	0.200	pass	
Parathion-Methyl	< LOQ	0.20	0.200	pass		Permethrin	< LOQ	0.20	0.100	pass	
Phosmet	< LOQ	0.20	0.100	pass		Piperonyl butoxide	< LOQ	2.0	1.00	pass	
Prallethrin	< LOQ	0.20	0.100	pass		Propiconazole	< LOQ	0.40	0.200	pass	
Propoxur	< LOQ	0.20	0.100	pass		Pyrethrin I (total)	< LOQ	1.0	0.500	pass	
Pyridaben	< LOQ	0.20	0.100	pass		Spinosad	< LOQ	0.20	0.100	pass	
Spiromesifen	< LOQ	0.20	0.100	pass		Spirotetramat	< LOQ	0.20	0.100	pass	
Spiroxamine	< LOQ	0.40	0.200	pass		Tebuconazole	< LOQ	0.40	0.200	pass	
Thiacloprid	< LOQ	0.20	0.100	pass		Thiamethoxam	< LOQ	0.20	0.100	pass	
Trifloxystrobin	< LOQ	0.20	0.100	pass							


Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Terpenes					Method J AOAC 2015 V98-6					Units %		Batch 1904454		Analyze 05/21/19 09:03 AM	
Analyte	Result	LOQ	% of Total	Notes	Analyte	Result	LOQ	% of Total	Notes						
farnesene [†]	0.103	0.020	76.79%		β-Caryophyllene [†]	0.0314	0.020	23.40%							
(-)-a-Terpineol [†]	< LOQ	0.020	0.00%		(-)-caryophyllene oxide [†]	< LOQ	0.020	0.00%							
(-)-Guaiol [†]	< LOQ	0.020	0.00%		(-)-Isopulegol [†]	< LOQ	0.020	0.00%							
(-)-β-Pinene [†]	< LOQ	0.020	0.00%		(+)-Borneol [†]	< LOQ	0.020	0.00%							
(+)-Cedrol [†]	< LOQ	0.020	0.00%		(+)-fenchol [†]	< LOQ	0.020	0.00%							
(+)-Pulegone [†]	< LOQ	0.020	0.00%		(±)-Camphor [†]	< LOQ	0.020	0.00%							
(±)-cis-Nerolidol [†]	< LOQ	0.020	0.00%		(±)-fenchone [†]	< LOQ	0.020	0.00%							
(±)-trans-Nerolidol [†]	< LOQ	0.020	0.00%		(R)-(+)-Limonene [†]	< LOQ	0.020	0.00%							
a-Bisabolol [†]	< LOQ	0.020	0.00%		a-cedrene [†]	< LOQ	0.020	0.00%							
a-phellandrene [†]	< LOQ	0.020	0.00%		a-pinene [†]	< LOQ	0.020	0.00%							
a-Terpinene [†]	< LOQ	0.020	0.00%		Camphene [†]	< LOQ	0.020	0.00%							
cis-β-Ocimene [†]	< LOQ	0.006	0.00%		d-3-Carene [†]	< LOQ	0.020	0.00%							
Eucalyptol [†]	< LOQ	0.020	0.00%		gamma-Terpinene [†]	< LOQ	0.020	0.00%							
Geraniol [†]	< LOQ	0.020	0.00%		Geranyl acetate [†]	< LOQ	0.020	0.00%							
Humulene [†]	< LOQ	0.020	0.00%		Isoborneol [†]	< LOQ	0.020	0.00%							
Linalool [†]	< LOQ	0.020	0.00%		Menthol [†]	< LOQ	0.020	0.00%							
nerol [†]	< LOQ	0.020	0.00%		p-Cymene [†]	< LOQ	0.020	0.00%							
Sabinene [†]	< LOQ	0.020	0.00%		Sabinene hydrate [†]	< LOQ	0.020	0.00%							
β-Myrcene [†]	< LOQ	0.020	0.00%		Terpinolene [†]	< LOQ	0.020	0.00%							
trans-β-Ocimene [†]	< LOQ	0.013	0.00%		valencene [†]	< LOQ	0.020	0.00%							
Total Terpenes	0.13														



Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Metals								
Analyte	Result	Limits	Units	LOQ	Batch	Analyze	Method	Notes
Arsenic	< LOQ		mg/kg	0.0469	1904594	05/23/19	AOAC 2013.06	X
Cadmium	< LOQ		mg/kg	0.0469	1904594	05/23/19	AOAC 2013.06	X
Lead	0.0831		mg/kg	0.0469	1904594	05/23/19	AOAC 2013.06	X
Mercury	< LOQ		mg/kg	0.0235	1904594	05/23/19	AOAC 2013.06	X

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Pixis quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be kept a maximum of 15 days from the report date unless prior arrangements have been made.



Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

† = Analyte not NELAP accredited.

Units of Measure

cfu/g = Colony forming units per gram

g = Gram

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

mg/0.95g = Milligram per 0.95g

mg/28.38g = Milligram per 28.38g

% = Percentage of sample

% wt = µg/g divided by 10,000

Glossary of Qualifiers

X: Not ORELAP accredited.

Approved Signatory

Derrick Tanner
General Manager